

Safety Data Sheet

The REACH etc. (Amendment etc.) (EU Exit)

Regulations 2019, SI 2019/758 (as amended)

Selvol™ Utiloc® 5000 Series Grades: 5001, 5001S, 5002, 5002S, 5003, 5003S, 5004, 5004S, 5005 and 5005S

Version number: 4.0
Replaces version of: 2021-05-12 (3)

Revision: 2024-07-10
First version: 13.03.2014

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance	Acetic acid ethenyl ester, polymer with N-ethenyl-formamide, hydrolyzed, amine-containing
Trade name	Selvol™ Utiloc® 5000 Series <u>Grades: 5001, 5001S, 5002, 5002S, 5003, 5003S, 5004, 5004S, 5005 and 5005S</u>
Registration number (REACH)	none (polymer)
CAS number	163879-68-3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Film industry and barrier film industry
---------------------------------	---

1.3 Details of the supplier of the safety data sheet

Sekisui Specialty Chemicals Europe S.L. Carretera Nacional 340 Km. 1157 43080 Tarragona Spain	Telephone: ++34 9775 49899 Telefax: ++34 9775 44982
--	--

e-mail (competent person)	MSDS@sekisui-sc.com
----------------------------------	---------------------

1.4 Emergency telephone number

Emergency information	++1 703 527 3887
------------------------------	------------------

As above or nearest toxicological information centre.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Classification				
Section	Hazard class	Category	Hazard class and category	Hazard statement
3.1I	acute toxicity (inhal.)	4	Acute Tox. 4	H332
3.3	serious eye damage/eye irritation	2	Eye Irrit. 2	H319

Selvol™ Utiloc® 5000 Series

Grades: 5001, 5001S, 5002, 5002S, 5003, 5003S, 5004, 5004S, 5005 and 5005S

Version number: 4.0

Revision: 2024-07-10

For full text of abbreviations: see SECTION 16

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word warning

Pictograms

GHS07



Hazard statements

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

Precautionary statements

P261 Avoid breathing dust.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 Call a POISON CENTRE/doctor if you feel unwell.

P337+P313 If eye irritation persists: Get medical advice/attention.

Additional labelling requirements see section 15 of the safety data sheet

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Not listed.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance	Acetic acid ethenyl ester, polymer with N-ethenyl-formamide, hydrolyzed, amine-containing
--------------------------	---

Selvol™ Utiloc® 5000 Series


Grades: 5001, 5001S, 5002, 5002S, 5003, 5003S, 5004, 5004S, 5005 and 5005S

Version number: 4.0

Revision: 2024-07-10

Identifiers

CAS No 163879-68-3

Impurities and additives				
Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
methanol	CAS No 67-56-1 EC No 200-659-6 REACH Reg. No 01- 2119433307- 44-xxxx	1 - <3	Flam. Liq. 2 / H225 Acute Tox. 3 / H301 Acute Tox. 3 / H311 Acute Tox. 3 / H331 STOT SE 1 / H370	

concentration limit, M-factor, ATE

Specific Conc. Limits	M-Factors	ATE	Exposure route
-	-	1.05 mg _l /4h	inhalation: dust/mist

Remarks

for full text of H-phrases: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Self-protection of the first aider.
Remove affected person from the danger area and lay down.
Do not leave affected person unattended.
Take off immediately all contaminated clothing.
In all cases of doubt, or when symptoms persist, seek medical advice.

Following inhalation

Provide fresh air.
Where appropriate provide artificial respiration.
Mouth to mouth resuscitation should be avoided. Use alternative methods, preferably with oxygen or compressed air driven apparatus.
If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions.
In case of unconsciousness place person in the recovery position. Never give anything by mouth.

Selvol™ Utiloc® 5000 Series

Grades: 5001, 5001S, 5002, 5002S, 5003, 5003S, 5004, 5004S, 5005 and 5005S

Version number: 4.0

Revision: 2024-07-10

Following skin contact

Take off contaminated clothing.

Rinse skin with water/shower.

If skin irritation occurs: Get medical advice/attention.

Following eye contact

Rinse cautiously with water for several minutes.

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Remove contact lenses, if present and easy to do. Continue rinsing.

Following ingestion

Rinse mouth. Do not induce vomiting.

Let water be drunk in little sips (dilution effect).

Get medical advice/attention if you feel unwell.

Notes for the doctor

None.

4.2 Most important symptoms and effects, both acute and delayed

This information is not available.

4.3 Indication of any immediate medical attention and special treatment needed

None.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

water, foam, alcohol resistant foam, fire extinguishing powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Deposited combustible dust has considerable explosion potential.

Hazardous combustion products

nitrogen oxides (NO_x), carbon monoxide (CO), carbon dioxide (CO₂),

Hazardous decomposition products section 10

5.3 Advice for firefighters

Keep containers cool with water spray.

In case of fire and/or explosion do not breathe fumes.

Co-ordinate firefighting measures to the fire surroundings.

Do not allow firefighting water to enter drains or water courses.

Collect contaminated firefighting water separately.

Fight fire with normal precautions from a reasonable distance.

Selvol™ Utiloc® 5000 Series

Grades: 5001, 5001S, 5002, 5002S, 5003, 5003S, 5004, 5004S, 5005 and 5005S

Version number: 4.0

Revision: 2024-07-10

Special protective equipment for firefighters

Wear self-contained breathing apparatus

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety.

Ventilate affected area.

Do not breathe dust.

Do not get in eyes, on skin, or on clothing.

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing.

Special danger of slipping by leaking/spilling product.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental precautions

Keep away from drains, surface and ground water.

Knock down dust with water spray.

Retain contaminated washing water and dispose of it.

If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Take up mechanically.

Advice on how to clean up a spill

Take up mechanically.

Collect spillage.

Other information relating to spills and releases

Place in appropriate containers for disposal.

Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5.

Personal protective equipment: see section 8.

Incompatible materials: see section 10.

Disposal considerations: see section 13.

Selvol™ Utiloc® 5000 Series

Grades: 5001, 5001S, 5002, 5002S, 5003, 5003S, 5004, 5004S, 5005 and 5005S

Version number: 4.0

Revision: 2024-07-10

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation.

Removal of dust deposits.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Specific notes/details

Dust deposits may accumulate on all deposition surfaces in a technical room.

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

Do not eat, drink and smoke in work areas.

Never keep food or drink in the vicinity of chemicals.

Remove contaminated clothing and protective equipment before entering eating areas.

Do not breathe dust.

Do not get in eyes, on skin, or on clothing.

Wash face and hands thoroughly after handling.

Preventive skin protection (barrier creams/ointments) is recommended.

7.2 Conditions for safe storage, including any incompatibilities

Explosive atmospheres

Removal of dust deposits.

Flammability hazards

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Incompatible substances or mixtures

Incompatible materials: see section 10.

Protect against external exposure, such as

heat

Consideration of other advice

Keep away from food, drink and animal feeding stuffs.

Store in a dry place. Store in a closed container.

Keep in a cool place.

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted.

Provision of sufficient ventilation.

Selvol™ Utiloc® 5000 Series

Grades: 5001, 5001S, 5002, 5002S, 5003, 5003S, 5004, 5004S, 5005 and 5005S

Version number: 4.0

Revision: 2024-07-10

Specific designs for storage rooms or vessels

Keep container tightly closed and in a well-ventilated place.

Keep cool.

Packaging compatibilities

Keep only in original container.

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)									
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m ³]	STEL [ppm]	STEL [mg/m ³]	Notation	Source
EU	methanol	67-56-1	IOELV	200	260	-	-	H	2006/15/EC
GB	methanol	67-56-1	WEL	200	266	250	333	H	EH40/2005

Notation

H absorbed through the skin

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Human health values

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
methanol	67-56-1	DNEL	130 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
methanol	67-56-1	DNEL	130 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects
methanol	67-56-1	DNEL	20 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
methanol	67-56-1	DNEL	26 mg/m ³	human, inhalatory	consumer (private households)	chronic - systemic effects
methanol	67-56-1	DNEL	26 mg/m ³	human, inhalatory	consumer (private house-	chronic - local effects

Selvol™ Utiloc® 5000 Series

Grades: 5001, 5001S, 5002, 5002S, 5003, 5003S, 5004, 5004S, 5005 and 5005S

Version number: 4.0

Revision: 2024-07-10

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
					holds)	
methanol	67-56-1	DNEL	4 mg/kg bw/day	human, dermal	consumer (private households)	chronic - systemic effects
methanol	67-56-1	DNEL	4 mg/kg bw/day	human, oral	consumer (private households)	chronic - systemic effects

8.2 Exposure controls

Appropriate engineering controls

Use local and general ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection. (EN 166)

Hand protection

Protective gloves		
Material	Material thickness	Breakthrough times of the glove material
CR: chloroprene (chlorobutadiene) rubber	this information is not available	this information is not available

Wear suitable gloves.

Chemical protection gloves are suitable, which are tested according to EN 374.

Check leak-tightness/impermeability prior to use.

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Body protection

Protective clothing for use against solid particulates.

(EN 13832, EN 340, EN 14605).

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

During spraying wear suitable respiratory equipment.

Particle filter device (DIN EN 143).

Selvol™ Utiloc® 5000 Series

Grades: 5001, 5001S, 5002, 5002S, 5003, 5003S, 5004, 5004S, 5005 and 5005S

Version number: 4.0

Revision: 2024-07-10

Environmental exposure controls

Use appropriate container to avoid environmental contamination.

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	solid (powder)
Colour	white to yellowish
Odour	odourless
Melting point/freezing point	180 – 220 °C
Boiling point or initial boiling point and boiling range	not determined
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	not applicable (solid)
Flash point	not applicable
Auto-ignition temperature	not applicable (solid)
Decomposition temperature	not relevant
pH (value)	9 – 12 (in aqueous solution: 40 g/l, 20 °C)
Viscosity	not relevant (solid)
Solubility(ies)	
Water solubility	soluble
Partition coefficient n-octanol/water (log value)	not determined
Vapour pressure	not determined
Density and/or relative density	
Density	not determined
Relative vapour density	not relevant (solid)

Selvol™ Utiloc® 5000 Series

Grades: 5001, 5001S, 5002, 5002S, 5003, 5003S, 5004, 5004S, 5005 and 5005S

Version number: 4.0

Revision: 2024-07-10

Particle characteristics no data available

9.2 Other information

Information with regard to physical hazard classes hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics there is no additional information

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

See below "Conditions to avoid".

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Heat.

Frost.

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

10.5 Incompatible materials

acids, oxidisers, keep away from metals

10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known.

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

If not otherwise specified the classification is based on:

Animal studies; Evidence from any other toxicity tests; Expert judgement (weight of evidence determination).

Selvol™ Utiloc® 5000 Series

Grades: 5001, 5001S, 5002, 5002S, 5003, 5003S, 5004, 5004S, 5005 and 5005S

Version number: 4.0

Revision: 2024-07-10

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic (oral).

Shall not be classified as acutely toxic (dermal).

Harmful if inhaled.

Exposure route	Endpoint	Value	Species	Method
oral	LD50	>2,000 mg/kg	rat, female	OECD Guideline 423
dermal	LD50	>2,000 mg/kg	rat, female	OECD Guideline 402
inhalation: dust/mist	LC50	1.05 – <5.02 mg/l/4h	rat	OECD Guideline 436

Acute toxicity of components

Acute toxicity estimate (ATE) of components				
Name of substance	CAS No	Exposure route	ATE	
methanol	67-56-1	oral	100 mg/kg	
methanol	67-56-1	dermal	300 mg/kg	
methanol	67-56-1	inhalation: vapour	3 mg/l/4h	

Acute toxicity of components						
Name of substance	CAS No	Exposure route	Endpoint	Value	Species	Method
methanol	67-56-1	oral	LD50	1,187 – 2,769 mg/kg	rat	-
methanol	67-56-1	dermal	LD50	17,100 mg/kg	rabbit	-

Skin corrosion/irritation

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Skin sensitisation

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Selvol™ Utiloc® 5000 Series

Grades: 5001, 5001S, 5002, 5002S, 5003, 5003S, 5004, 5004S, 5005 and 5005S

Version number: 4.0

Revision: 2024-07-10

Respiratory sensitisation

Classification could not be established because:
Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Germ cell mutagenicity

Classification could not be established because:
Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Carcinogenicity

Classification could not be established because:
Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Reproductive toxicity

Classification could not be established because:
Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Specific target organ toxicity - single exposure

Classification could not be established because:
Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Specific target organ toxicity - repeated exposure

Classification could not be established because:
Data are lacking, inconclusive, or conclusive but not sufficient for classification.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

Endocrine disrupting properties

Not listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity (acute)

Name of substance	CAS No	EC No	Endpoint	Value	Species	Method	Exposure time
methanol	67-56-1	200-659-6	LC50	15,400 mg/l	bluegill (Lepomis macrochirus)	EPA-660/3-75-009	96 h
methanol	67-56-1	200-659-6	EC50	12,700 mg/l	bluegill (Lepomis macrochirus)	EPA-660/3-75-009	96 h

Selvol™ Utiloc® 5000 Series

Grades: 5001, 5001S, 5002, 5002S, 5003, 5003S, 5004, 5004S, 5005 and 5005S

Version number: 4.0

Revision: 2024-07-10

Name of substance	CAS No	EC No	Endpoint	Value	Species	Method	Exposure time
methanol	67-56-1	200-659-6	EC50	18,260 mg/l	daphnia magna	OECD Guideline 202	96 h
methanol	67-56-1	200-659-6	ErC50	~22,000 mg/l	algae (pseudokirchneriella subcapitata)	OECD Guideline 201	96 h

12.2 Persistence and degradability

Biodegradation

No data available.

Name of substance	CAS No	Process	Degradation rate	Time	Method
methanol	67-56-1	oxygen depletion	95 %	20 d	-

Persistence

No data available.

12.3 Bioaccumulative potential

Name of substance	CAS No	BCF	Log KOW
methanol	67-56-1	<10	-0.77

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

12.6 Endocrine disrupting properties

Not listed.

12.7 Other adverse effects

Data are not available.

Remarks

Wassergefährdungsklasse, WGK (water hazard class): 2.

Keep away from drains, surface and ground water.

Selvol™ Utiloc® 5000 Series

Grades: 5001, 5001S, 5002, 5002S, 5003, 5003S, 5004, 5004S, 5005 and 5005S

Version number: 4.0

Revision: 2024-07-10

SECTION 13: Disposal considerations

13.1 Waste treatment methods

This material and its container must be disposed of as hazardous waste.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

Completely emptied packages can be recycled.

Handle contaminated packages in the same way as the substance itself.

Remarks

Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1	UN number or ID number	not assigned
14.2	UN proper shipping name	-
14.3	Transport hazard class(es)	-
14.4	Packing group	-
14.5	Environmental hazards	-
14.6	Special precautions for user	-
14.7	Maritime transport in bulk according to IMO instruments	-

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Seveso Directive

Not assigned.

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

Not listed.

Regulation on the marketing and use of explosives precursors

Not listed.

Selvol™ Utiloc® 5000 Series

Grades: 5001, 5001S, 5002, 5002S, 5003, 5003S, 5004, 5004S, 5005 and 5005S

Version number: 4.0

Revision: 2024-07-10

Regulation on drug precursors

Not listed.

Regulation on substances that deplete the ozone layer (ODS)

Not listed.

Regulation concerning the export and import of hazardous chemicals (PIC)

Not listed.

Regulation on persistent organic pollutants (POP)

Not listed.

National regulations (GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

Not listed

Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)			
Name of substance	Name acc. to inventory	CAS No	Conditions of restriction
methanol	Methanol	67-56-1	R69
methanol	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC	-	R3
methanol	flammable / pyrophoric	-	R40

Legend

R3

1. Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
- tricks and jokes,
- games for one or more participants, or any article intended to be used as such, even with ornamental aspects,

2. Articles not complying with paragraph 1 shall not be placed on the market.

3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:

- can be used as fuel in decorative oil lamps for supply to the general public, and,
- present an aspiration hazard and are labelled with R65 or H304,

4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the British Standard Specification on Decorative oil lamps (BS EN 14059) adopted by the British Standards Institute.

5. Without prejudice to the implementation of other legislation relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:

- (a) lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and in-

Selvol™ Utiloc® 5000 Series

Grades: 5001, 5001S, 5002, 5002S, 5003, 5003S, 5004, 5004S, 5005 and 5005S

Version number: 4.0

Revision: 2024-07-10

Legend

delibly marked as follows: 'Keep lamps filled with this liquid out of the reach of children'; and, by 1 December 2010 'Just a sip of lamp oil

— or even sucking the wick of lamps

— may lead to life-threatening lung damage';

(b) grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as

follows: 'Just a sip of grill lighter may lead to life-threatening lung damage';

(c) lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.

7. Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with R65 or H304, shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or H304 to the Agency.

R40 1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:

— metallic glitter intended mainly for decoration,

— artificial snow and frost,

— 'whoopie' cushions,

— silly string aerosols,

— imitation excrement,

— horns for parties,

— decorative flakes and foams,

— artificial cobwebs,

— stink bombs.

2. Without prejudice to the application of other legislation on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:

'For professional users only'.

3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (***)

4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

(***) OJ L 147, 9.6.1975, p. 40.

R69 Shall not be placed on the market to the general public after 9 May 2019 in windscreen washing or defrosting fluids, in a concentration equal to or greater than 0.6 % by weight.

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance by the supplier.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Indication of changes: Section 2, 4, 8, 11, 12, 15

Selvol™ Utiloc® 5000 Series

Grades: 5001, 5001S, 5002, 5002S, 5003, 5003S, 5004, 5004S, 5005 and 5005S

Version number: 4.0

Revision: 2024-07-10

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
Acute Tox.	Acute toxicity
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Flam. Liq.	Flammable liquid
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
IMDG	International Maritime Dangerous Goods Code
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality dur-

Selvol™ Utiloc® 5000 Series

Grades: 5001, 5001S, 5002, 5002S, 5003, 5003S, 5004, 5004S, 5005 and 5005S

Version number: 4.0

Revision: 2024-07-10

Abbr.	Descriptions of used abbreviations
	ing a specified time interval
log KOW	n-Octanol/water
M-factor	Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to the aquatic environment acute category 1 or chronic category 1, and is used to derive by the summation method the classification of a mixture in which the substance is present
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR).
Regulations concerning the International Carriage of Dangerous Goods by Rail (RID).
International Maritime Dangerous Goods Code (IMDG).
Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H311	Toxic in contact with skin.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H370	Causes damage to organs.

Selvol™ Utiloc® 5000 Series
Grades: 5001, 5001S, 5002, 5002S,
5003, 5003S, 5004, 5004S, 5005 and
5005S

Version number: 4.0

Revision: 2024-07-10

Responsible for the safety data sheet

C.S.B. GmbH
Dujardinstr. 5
47829 Krefeld
Germany

Telephone: +49 (0) 2151 - 652086 - 0
Telefax: +49 (0) 2151 - 652086 - 9
e-Mail: info@csb-compliance.com
Website: www.csb-compliance.com

Disclaimer

This information is based upon the present state of our knowledge.
This SDS has been compiled and is solely intended for this product.